




FLAIR ÇEKİRDEK HAZNESİ



Hexagon bolt M4x45 DIN 931

Pos. CSS: 6777
Art. No. SAP: 560.0002.261

Oval head screw 3.0x16

Pos. CSS: 3
Art. No. SAP: 560.0004.234

Sleeve for railing

Pos. CSS: 3560
Art. No. SAP: 560.0004.524


Bean hopper lid silver w/ lock


Pos. CSS: 3555
Art. No. SAP: 560.0004.533

Grinder adjustment mechanism 790 black	
Pos. CSS:	46
Art. No. SAP:	560.0004.257
<hr/>	
Slider 790 for bean hopper	
Pos. CSS:	47
Art. No. SAP:	560.0004.258
<hr/>	
Seal 790 for bean hopper	
Pos. CSS:	48
Art. No. SAP:	560.0004.259
<hr/>	
Bean hopper lid 790 black	
Pos. CSS:	50
Art. No. SAP:	560.0004.261
<hr/>	
Insertion funnel 790	
Pos. CSS:	3
Art. No. SAP:	560.0004.263
<hr/>	
Screw KST/PT 3.5x12 stainless steel	
Pos. CSS:	54
Art. No. SAP:	560.0004.264
<hr/>	
Cup tray 790	
Pos. CSS:	55
Art. No. SAP:	560.0004.265
<hr/>	
Locking cylinder M18x1 ass. with key	
Pos. CSS:	524
Art. No. SAP:	560.0004.386
<hr/>	
Bean hopper lid black w/ lock	
Pos. CSS:	527
Art. No. SAP:	560.0004.440
<hr/>	
Base 797 for bean hopper V3	
Pos. CSS:	551
Art. No. SAP:	560.0004.511
<hr/>	
Finger guard for bean hopper	
Pos. CSS:	3698
Art. No. SAP:	560.0004.512
<hr/>	
Railing 654 steel wire	
Pos. CSS:	3558
Art. No. SAP:	560.0004.523


Level sensor for beans	
Pos. CSS:	3566
Art. No. SAP:	560.0004.534
<hr/>	
Sensor 650 coff. bean monitor, left-hand	
Pos. CSS:	3565
Art. No. SAP:	560.0004.535
<hr/>	
Cover 790 top V2 painted	
Pos. CSS:	3563
Art. No. SAP:	560.0004.542
<hr/>	
Bean hopper lid 790 silver	
Pos. CSS:	3556
Art. No. SAP:	560.0004.545
<hr/>	
Bean hopper lid 797 250g silver	
Pos. CSS:	3553
Art. No. SAP:	560.0004.546
<hr/>	
Grinder adjustment mechanism 790 painted	
Pos. CSS:	3561
Art. No. SAP:	560.0004.547
<hr/>	
Spare parts kit 654 bean hopper	
Pos. CSS:	3554
Art. No. SAP:	560.0004.568
<hr/>	
Cover 654 top V3	
Pos. CSS:	3564
Art. No. SAP:	560.0004.569
<hr/>	
Replacement bean hopper 654 250g	
Pos. CSS:	3552
Art. No. SAP:	560.0004.573
<hr/>	
Bean hopper 654 250g	
Pos. CSS:	3699
Art. No. SAP:	560.0004.631
<hr/>	
PET printing foil	
Pos. CSS:	836788
Art. No. SAP:	560.0007.502

FLAIR DEĞİRMEN






230V 62
120V 69
100V 116



Pan head PT screw, K30x12	
Pos. CSS:	37
Art. No. SAP:	560.0004.253
<hr/>	
Microswitch 125V/250V/16	
Pos. CSS:	60
Art. No. SAP:	560.0004.268
<hr/>	
Rocker microswitch 978	
Pos. CSS:	61
Art. No. SAP:	560.0004.269
<hr/>	
Grinding unit 790/654 (230 V)	
Pos. CSS:	62
Art. No. SAP:	560.0004.270
<hr/>	
Setting wheel 790 for grinder	
Pos. CSS:	63
Art. No. SAP:	560.0004.271
<hr/>	
Rubber buffer 790 for grinder	
Pos. CSS:	64
Art. No. SAP:	560.0004.272
<hr/>	
Flange sleeve 790 for grinder	
Pos. CSS:	65
Art. No. SAP:	560.0004.273
<hr/>	
Ground coffee funnel 797 black	
Pos. CSS:	66
Art. No. SAP:	560.0004.274
<hr/>	
Screw 3.5x20, galvanized, blue	
Pos. CSS:	67
Art. No. SAP:	560.0004.275
<hr/>	

Holder 790 for grinder black	
Pos. CSS:	68
Art. No. SAP:	560.0004.276
<hr/>	
Grinding unit 790 120 V, assembled	
Pos. CSS:	69
Art. No. SAP:	560.0004.441
<hr/>	
Grinding unit 790 100 V, assembled	
Pos. CSS:	116
Art. No. SAP:	560.0004.452
<hr/>	
Curr. temp. controller for grinder EU	
Pos. CSS:	3735
Art. No. SAP:	560.0004.622
<hr/>	
Current temp. controller for grinder JP	
Pos. CSS:	3737
Art. No. SAP:	560.0004.623
<hr/>	
Current temp. controller for grinder UL	
Pos. CSS:	3736
Art. No. SAP:	560.0004.624
<hr/>	
Bracket for grinder temperature sensor	
Pos. CSS:	3738
Art. No. SAP:	560.0004.625
<hr/>	
Interference filter 654 for grinder	
Pos. CSS:	4620
Art. No. SAP:	560.0004.642
<hr/>	
Stopper 797 black	
Pos. CSS:	2639
Art. No. SAP:	560.0004.666
<hr/>	

FLAIR DEMLEME ÜNİTESİ



Brewing unit 790 V2 assembled

Pos. CSS: 235
Art. No. SAP: 560.0004.371

Grounds shovel 790 brown

Pos. CSS: 237
Art. No. SAP: 560.0004.372

Replacement drainage valve, assembled

Pos. CSS: 240
Art. No. SAP: 560.0004.464

Centering plate 790 BE

Pos. CSS: 4608
Art. No. SAP: 560.0004.627


Replacement guide 790 V2, assembled

Pos. CSS: 236
Art. No. SAP: 560.0004.664

O-ring 35.5x3.65 MVQ

Pos. CSS: 40
Art. No. SAP: 560.0004.907



FLAIR ÖN PANEL



Pan head PT screw, K30x12	
Pos. CSS:	37
Art. No. SAP:	560.0004.253
Hinge 790 for grounds cont. trim panel	
Pos. CSS:	97
Art. No. SAP:	560.0004.294
Labeling film for Flair	
Pos. CSS:	3529
Art. No. SAP:	560.0004.468
Keypad membrane processed 654	
Pos. CSS:	3745
Art. No. SAP:	560.0004.499
Trim panel 654 for grounds container	
Pos. CSS:	3532
Art. No. SAP:	560.0004.510

Trim for programming keys, black	
Pos. CSS:	3527
Art. No. SAP:	560.0004.515
Hinge cover 654, black	
Pos. CSS:	3531
Art. No. SAP:	560.0004.522
Cover 654 for labeling	
Pos. CSS:	3528
Art. No. SAP:	560.0004.525
Electronics 654, complete in casing	
Pos. CSS:	3530
Art. No. SAP:	560.0004.560
Front door 654 with front panel	
Pos. CSS:	3526
Art. No. SAP:	560.0004.574



FLAIR POMPA - AKIŞ ÖLÇER - TANK



Replacement hose 651 2B	
Pos. CSS:	12544
Art. No. SAP:	560.0000.707
O-ring 5.5x1.5 VMQ	
Pos. CSS:	204
Art. No. SAP:	560.0003.656
Elbow fitting 90°	
Pos. CSS:	8528
Art. No. SAP:	560.0003.892
Pan head PT screw, K30x12	
Pos. CSS:	37
Art. No. SAP:	560.0004.253
Pulsation damper 778	
Pos. CSS:	70
Art. No. SAP:	560.0004.277
Clamp for pressure hose 770	
Pos. CSS:	71
Art. No. SAP:	560.0004.278
Pump CP4/SP(CP2)230V/50Hz	
Pos. CSS:	72
Art. No. SAP:	560.0004.279
Thermostat 115C/10.0A PK1 1AAL	
Pos. CSS:	73
Art. No. SAP:	560.0004.280
Clamp for thermostat 1NT/01	
Pos. CSS:	74
Art. No. SAP:	560.0004.281
Bracket 790 overflow black V2	
Pos. CSS:	76
Art. No. SAP:	560.0004.282
Circlip 770 stainless steel	
Pos. CSS:	78
Art. No. SAP:	560.0004.283
Strainer 770 stainless steel	
Pos. CSS:	79
Art. No. SAP:	560.0004.284
Valve cap 770-780 black	
Pos. CSS:	84
Art. No. SAP:	560.0004.288

Flow meter FHKSC 12 R 0° V2	
Pos. CSS:	85
Art. No. SAP:	560.0004.289
Collar for internal manifold new	
Pos. CSS:	87
Art. No. SAP:	560.0004.291
Si strnd. wire EU gray 160 mm 0.75 mm ²	
Pos. CSS:	3733
Art. No. SAP:	560.0004.373
Drawer 790 for coin container, black	
Pos. CSS:	2022
Art. No. SAP:	560.0004.409
Base 790 for water tank black	
Pos. CSS:	2080
Art. No. SAP:	560.0004.412
Pump CP4/SP 110/120V 60Hz	
Pos. CSS:	91
Art. No. SAP:	560.0004.442
Pump CP4/SP 100V/50-60Hz	
Pos. CSS:	92
Art. No. SAP:	560.0004.453
Cover 670 for thermostat	
Pos. CSS:	3734
Art. No. SAP:	560.0004.497
Drawer 790 for coin container, silver	
Pos. CSS:	3508
Art. No. SAP:	560.0004.549
Hose Ø9/5 MVQ	
Pos. CSS:	3509
Art. No. SAP:	560.0004.579
Valve cone for water tank base	
Pos. CSS:	4611
Art. No. SAP:	560.0004.626
O-ring 3.4x1.9 FKM	
Pos. CSS:	2641
Art. No. SAP:	560.0004.669

FLAIR TEMİZ & PİS SU



schwarz, black, 3716 —
noir







Cable tie 18604011		Pan head PT screw, K40x10	
Pos. CSS:	4612	Pos. CSS:	3715
Art. No. SAP:	560.0000.153	Art. No. SAP:	560.0004.486
Reducing nipple 3/8-3/8		Socket water tank black NB	
Pos. CSS:	6826	Pos. CSS:	3716
Art. No. SAP:	560.0002.613	Art. No. SAP:	560.0004.487
Metal braided hose 3/8-3/8" FF90°		Single control unit	
Pos. CSS:	294	Pos. CSS:	708
Art. No. SAP:	560.0003.679	Art. No. SAP:	560.0004.576
Flat gasket 10x15x1.6 PTFE		Hose Ø9/5 MVQ	
Pos. CSS:	293	Pos. CSS:	3509
Art. No. SAP:	560.0003.681	Art. No. SAP:	560.0004.579
Push-on Tee fitting Ø6/6/6 PPSU		Solenoid valve EVI 3/8"-3/8" 110 V	
Pos. CSS:	1514	Pos. CSS:	3744
Art. No. SAP:	560.0003.737	Art. No. SAP:	560.0004.643
O-ring 6x3 MVQ		Socket 3/8	
Pos. CSS:	8157	Pos. CSS:	2631
Art. No. SAP:	560.0003.925	Art. No. SAP:	560.0004.648
Compression spring 0.65x12x15.5		Angle valve with filter	

Pos. CSS:	13
Art. No. SAP:	560.0004.238
Valve body 946 black	
Pos. CSS:	14
Art. No. SAP:	560.0004.239
Hose Ø13/9 MVQ	
Pos. CSS:	503
Art. No. SAP:	560.0004.380
Power cable for Saphira/Flair	
Pos. CSS:	704
Art. No. SAP:	560.0004.466
Panel for reverse taps	
Pos. CSS:	3707
Art. No. SAP:	560.0004.474
Solenoid valve EVI 3/8"-3/8" 230 V	
Pos. CSS:	3702
Art. No. SAP:	560.0004.475
Pressure reducing valve 0.4bar	
Pos. CSS:	3709
Art. No. SAP:	560.0004.476
Three-way ball valve, L-design	
Pos. CSS:	3703
Art. No. SAP:	560.0004.477
Locking disc MS	
Pos. CSS:	3706
Art. No. SAP:	560.0004.478
Hexagon nut M12x1 MS	
Pos. CSS:	3708
Art. No. SAP:	560.0004.479
Spacer ring for taps Ø12/9x2.5	
Pos. CSS:	3705
Art. No. SAP:	560.0004.480
Dowel pin Ø2x12	
Pos. CSS:	3704
Art. No. SAP:	560.0004.481
Cable for water connection	
Pos. CSS:	3700
Art. No. SAP:	560.0004.482
Flow meter FHKC 12 Arnite G1/4"	
Pos. CSS:	3713
Art. No. SAP:	560.0004.483
Barbed fitting w/ ext. thread 1/4"	
Pos. CSS:	3714
Art. No. SAP:	560.0004.484
Hose clamp 11.5-13.5	
Pos. CSS:	3711
Art. No. SAP:	560.0004.485

Pos. CSS:	3747
Art. No. SAP:	560.0004.673
Hop filter 3/8" 10 mm	
Pos. CSS:	295
Art. No. SAP:	560.0004.828
Thread-rolling screw M4x8	
Pos. CSS:	255
Art. No. SAP:	560.0004.836
Screw in/on push-on elbow fitting swivel	
Pos. CSS:	122
Art. No. SAP:	560.0004.854
Hose Ø6/4 PFA	
Pos. CSS:	140
Art. No. SAP:	560.0004.857
Pan head PT screw, K50x14	
Pos. CSS:	42
Art. No. SAP:	560.0004.918
Hexalobular socket pan head screw K30x8	
Pos. CSS:	292
Art. No. SAP:	560.0005.001
Switch Cherry, type: DC3A-LGAE	
Pos. CSS:	2555
Art. No. SAP:	560.0005.163
Check valve Ø6/G3/8"	
Pos. CSS:	5659
Art. No. SAP:	560.0005.222
Screw-in push-on elbow fitting G1/4"	
Pos. CSS:	3710
Art. No. SAP:	560.0005.595
Screw-in fitting G1/4"-Ø6	
Pos. CSS:	5092
Art. No. SAP:	560.0005.597
Push-fit elbow union	
Pos. CSS:	5151
Art. No. SAP:	560.0005.681
Hose 6x3 MVQ	
Pos. CSS:	3712
Art. No. SAP:	560.0008.472
Pos. CSS:	
Art. No. SAP:	
Pos. CSS:	
Art. No. SAP:	
Pos. CSS:	
Art. No. SAP:	
Pos. CSS:	
Art. No. SAP:	


FLAIR THERMOBLOCK




Dampf, steam, vapeur

Kaffee HW, coffee hw, café/eau chaude

3517
230V




3516
230V



3515

3518



Dampf / Steam / Vapeur


3723

220

219

229

230





Kaffee, Hw / Coffee, hw / café, eau chaude

Replacement hose 651 2B	
Pos. CSS:	12544
Art. No. SAP:	560.0000.707
Replacement hose 651 3A	
Pos. CSS:	12548
Art. No. SAP:	560.0000.711
Clamp for pressure hose 770	
Pos. CSS:	71
Art. No. SAP:	560.0004.278
Sensor housing black	
Pos. CSS:	187
Art. No. SAP:	560.0004.343
Screw GF/Tapt. M4.0x8 galvanized, blue	
Pos. CSS:	219
Art. No. SAP:	560.0004.359
Safety fastener TB2001	
Pos. CSS:	220
Art. No. SAP:	560.0004.360
Sensor for Thermoblock, complete V2	
Pos. CSS:	229
Art. No. SAP:	560.0004.369
Screw	
Pos. CSS:	230
Art. No. SAP:	560.0004.370
STB stranded wire 654 UL 184C white	
Pos. CSS:	3720
Art. No. SAP:	560.0004.493
Sensor 640 T-block, complete L=200 mm	
Pos. CSS:	3518
Art. No. SAP:	560.0004.507
Hose Ø4.0/2.5x60 PFA	
Pos. CSS:	3521
Art. No. SAP:	560.0004.518
Hose Ø4.0x2.5x170 PFA	
Pos. CSS:	3605
Art. No. SAP:	560.0004.520
Hose Ø4.0/2.5x180 PFA	
Pos. CSS:	3520
Art. No. SAP:	560.0004.527
5-fold connector 654 EU complete	
Pos. CSS:	3718
Art. No. SAP:	560.0004.553
Ef stranded wire 654 EU 216°C (1xG4)	
Pos. CSS:	3515
Art. No. SAP:	560.0004.554
STB stranded wire 654 EU 184 C brown	
Pos. CSS:	3723
Art. No. SAP:	560.0004.555

Hose Ø4.0/2.5x130 PFA	
Pos. CSS:	3684
Art. No. SAP:	560.0004.559
Thermoblock 654/2003 230 V/1200 W	
Pos. CSS:	3517
Art. No. SAP:	560.0004.563
Thermoblock 654/2001 230 V/1200 W	
Pos. CSS:	3516
Art. No. SAP:	560.0004.564
Hose Ø4.0/2.5x170 PFA	
Pos. CSS:	3682
Art. No. SAP:	560.0004.601
Hose Ø4.0/2.5x75 PFA	
Pos. CSS:	3680
Art. No. SAP:	560.0004.602
F-shaped fitting, 90°	
Pos. CSS:	3691
Art. No. SAP:	560.0004.603
Elbow fitting, 90°	
Pos. CSS:	3689
Art. No. SAP:	560.0004.604
Hose Ø4.0/2.5x90 PFA	
Pos. CSS:	3681
Art. No. SAP:	560.0004.605
Hose Ø4.0/2.5x100 PFA	
Pos. CSS:	3687
Art. No. SAP:	560.0004.606
Clamp Ø5 bronzed	
Pos. CSS:	3690
Art. No. SAP:	560.0004.607
Hose Ø4.0/2.5x90 PFA	
Pos. CSS:	3686
Art. No. SAP:	560.0004.608
Hose Ø4.0/2.5x110 PFA	
Pos. CSS:	3688
Art. No. SAP:	560.0004.609
STB stranded wire 655 UL 184C 120 V	
Pos. CSS:	3724
Art. No. SAP:	560.0004.617
STB stranded wire 654 EU 216C blue	
Pos. CSS:	3721
Art. No. SAP:	560.0004.618
STB stranded wire 654 EU 184C white	
Pos. CSS:	3719
Art. No. SAP:	560.0004.619
STB stranded wire 654 UL 216C gray	
Pos. CSS:	3722
Art. No. SAP:	560.0004.620

FLAIR VALFLER



3590

Entspannungs Ventil
Reflexion valve
vanne de soulagement

3591

Kaltwasser-Spühlung
Cold water rinsing
eau froide pour rinçage

3593



siehe, see, voir DETAIL A

3610

3592

Heisswasser
Hot water
eau chaude

3611

DETAIL A

3593

Dampf



3597
Steam
vapeur

Dampf Milch



3595
Steam milk
vapeur lait

Dampf Schaum



3594
Steam froth
vapeur mousse

3607

3608

3606

12539

71

3599

213

214

T-Stück
T-piece
connexion T

3600 2641

Brühgruppe
Brewing unit
Groupe d'infusion


71

180

Entspannungs Ventil
Reflexion valve
Vanne de soulagement

141

245



Replacement hose 651 1A

Pos. CSS: 12539
Art. No. SAP: 560.0000.702

Replacement hose 651 2B

Pos. CSS: 12544
Art. No. SAP: 560.0000.707

Hose Ø6/3 MVQ

Pos. CSS: 241
Art. No. SAP: 560.0003.667

Hose Ø8/4 MVQ

Pos. CSS: 245
Art. No. SAP: 560.0003.688

Clamp for pressure hose 770

Pos. CSS: 71
Art. No. SAP: 560.0004.278

Relief valve 411

Pos. CSS: 180
Art. No. SAP: 560.0004.336

Replacement solenoid valve 790 V

Pos. CSS: 182
Art. No. SAP: 560.0004.338

Sensor housing black

Pos. CSS: 187
Art. No. SAP: 560.0004.343

Replacement solenoid valve 790 V

Pos. CSS: 188
Art. No. SAP: 560.0004.344

Solenoid valve 24V DC2/2 6bar

Pos. CSS: 3592
Art. No. SAP: 560.0004.582

Solenoid valve 24V DC2/2 12bar

Pos. CSS: 3591
Art. No. SAP: 560.0004.583

Hose Ø4.0/2.5x50 PFA

Pos. CSS: 3602
Art. No. SAP: 560.0004.584

Hose Ø4.0/2.5x45 PFA

Pos. CSS: 3601
Art. No. SAP: 560.0004.586

Hose Ø4.0/2.5x230 PFA

Pos. CSS: 3603
Art. No. SAP: 560.0004.588

Repl. solenoid valve 24V DC2/2 valve gr.

Pos. CSS: 3594
Art. No. SAP: 560.0004.589

Repl. solenoid valve 24V DC2/2 valve gr.

Pos. CSS: 3595
Art. No. SAP: 560.0004.590

Repl. solenoid valve 24V DC2/2 valve gr.

Pos. CSS: 3597
Art. No. SAP: 560.0004.591

Replacement bracket, stainless steel

Pos. CSS: 3606
Art. No. SAP: 560.0004.592

Coupling holder 790, black	
Pos. CSS:	213
Art. No. SAP:	560.0004.355
Coupling 797 black	
Pos. CSS:	214
Art. No. SAP:	560.0004.356
Holder 654 for solenoid valves top	
Pos. CSS:	3610
Art. No. SAP:	560.0004.500
Holder 654 for solenoid valves bottom	
Pos. CSS:	3611
Art. No. SAP:	560.0004.501
Discharge valve for heating element	
Pos. CSS:	3600
Art. No. SAP:	560.0004.502
Hose Ø4.0/2.5x60 PFA	
Pos. CSS:	3521
Art. No. SAP:	560.0004.518
Hose Ø4.0x2.5x170 PFA	
Pos. CSS:	3605
Art. No. SAP:	560.0004.520
Hose Ø4.0/2.5x180 PFA	
Pos. CSS:	3520
Art. No. SAP:	560.0004.527
Replacement solenoid valve 654 24 V	
Pos. CSS:	3612
Art. No. SAP:	560.0004.532
Hose Ø4.0/2.5x35 PFA	
Pos. CSS:	3599
Art. No. SAP:	560.0004.557
Hose Ø4.0/2.5x80 PFA	
Pos. CSS:	3604
Art. No. SAP:	560.0004.558
Hose Ø4.0/2.5x130 PFA	
Pos. CSS:	3684
Art. No. SAP:	560.0004.559
Solenoid valve block 24VDC	
Pos. CSS:	3593
Art. No. SAP:	560.0004.580
Solenoid valve 24V DC2/2 2.5bar	
Pos. CSS:	3590
Art. No. SAP:	560.0004.581

Replacement joint piece	
Pos. CSS:	3608
Art. No. SAP:	560.0004.593
Replacement O-ring 4.00x1.50 EPDM	
Pos. CSS:	3607
Art. No. SAP:	560.0004.594
Hose Ø4.0/2.5x170 PFA	
Pos. CSS:	3682
Art. No. SAP:	560.0004.601
Hose Ø4.0/2.5x75 PFA	
Pos. CSS:	3680
Art. No. SAP:	560.0004.602
F-shaped fitting, 90°	
Pos. CSS:	3691
Art. No. SAP:	560.0004.603
Elbow fitting, 90°	
Pos. CSS:	3689
Art. No. SAP:	560.0004.604
Hose Ø4.0/2.5x90 PFA	
Pos. CSS:	3681
Art. No. SAP:	560.0004.605
Hose Ø4.0/2.5x100 PFA	
Pos. CSS:	3687
Art. No. SAP:	560.0004.606
Hose Ø8.2/4.2x300 MVQ	
Pos. CSS:	3740
Art. No. SAP:	560.0004.612
Hose sleeve 654 black	
Pos. CSS:	3741
Art. No. SAP:	560.0004.613
Hose sleeve 654 natural	
Pos. CSS:	3742
Art. No. SAP:	560.0004.614
Hose clamp 7.8-8.3	
Pos. CSS:	6430
Art. No. SAP:	560.0004.615
O-ring 3.4x1.9 FKM	
Pos. CSS:	2641
Art. No. SAP:	560.0004.669
Hose Ø10/1.5 MVQ	
Pos. CSS:	141
Art. No. SAP:	560.0008.476